

REVIEW ARTICLE

An Integrated Review on Resource Management, Scheduling, and Energy Efficiency in Cloud Computing

Vivek Sharma*

Designation: System Analyst

MITS Deemed University

Email-viveks@mitsgwalior.in

Received: 08-10-2025; Revised: 12-11-2025; Accepted: 29-12-2025

Abstract— Cloud computing offers a flexible and on-demand access of computing resources and therefore resource management is a key issue of maintaining high performance, cost effectiveness, and sustainability. This paper will give an overview of the main issues of cloud resource management such as the resource allocation strategies, scheduling methods, and the green (energy efficient) practices of cloud computing. It addresses the problem of resource contention, over- and under-provisioning, fragmentation, and dynamism of workload variation, and their effect on Quality of Service (QoS) and Service Level Agreements (SLAs). The paper also looks at the case of the static, dynamic and QoS-driven scheduling which are designed to provide a balance between the needs of the users and the objectives of the provider and the ability to provide equitable and optimal resource utilization. Besides, energy efficiency is examined using the concept of the use of static and dynamic power control, virtualization, and green cloud to lower the cost of operation and environmental effects.

Keywords— Cloud computing, Resource management, Task scheduling, QoS (Quality of Service), Energy efficiency, Green computing, Dynamic power management, Virtualization, AI-driven scheduling, Edge computing

INTRODUCTION

The development of cloud computing has significantly changed how the IT sector functions today. Cloud computing makes it possible to investigate better IT services with lower expenses and less investment. The popularity of software as a service has increased because of cloud computing's impact on how IT hardware is developed and procured. It is an internet-based technology that gives users access to server-stored data as a service whenever they want[1][2][3]. Customers only pay for the service they use because it is a pay-as-you-go service. Cloud computing is as a computing model in which massively scalable IT-enabled capabilities are offered as a service to numerous customers. It is the use of internet-based computer technology for a variety of services (as storage capacity, processing power, business applications, or components)[4][5]. According to the architecture of cloud computing and the analysis of ant colony algorithm, resource management system of cloud computing designed has different rights management for users and administrators. It includes checking and applying status of VPS (virtual machine) host, basic operation (switch, restart, etc.) to VPS (virtual machine) host, checking the task

application and task execution schedule, and submit computing tasks.

Due to the vast and ever-expanding size of cloud computing facilities and the ever-increasing number of users, energy consumption has emerged as one of the key challenges in the operation of complex cloud data centers[6]. It is reported that the average increase of energy consumption has reached 12% per year from 2005 to 2010 and becomes higher and higher in recent years. High energy consumption not only translates to high cost, but also produce excessive heat emissions, which often leads to system unreliability and performance degradation[7][8]. Among various ways towards energy-efficient cloud computing, being responsible for resource management and optimization, cloud task scheduling is deemed as one of the key areas to search for viable solutions to the energy consumption issue. Task scheduling has a direct impact on both the utilization of cloud resources and the QoS (Quality of Service) in response to user requests, therefore it is the very place where it can explore innovative designs that can manage resources in an energy-efficient way while still meeting diverse user requirements in real time.

1.1 Structure of the paper

The paper is structure as follows: Section 2 explores Resource Management in Cloud Computing. Section 3 focuses on Scheduling Techniques in Cloud Environments. Section 4 discusses energy efficiency in cloud computing. Section 5 presents a literature review summarizing recent advancements. Section 6 concludes the study and outlines future research directions for intelligent and energy-aware cloud systems.

RESOURCE MANAGEMENT IN CLOUD COMPUTING

Cloud computing enables customers to get resources in a flexible and dynamic manner[9]. The most key challenge in resource management is defining the proper number of needed resources for allocation in order to meet users' demand while simultaneously reducing costs from the users' perspective and making the optimum use of resource usage from the service providers' viewpoint. Resource management is the collective effort of inter-process communication such as resource collection, distribution, and on-demand administration to ensure the system's functionality[10] [11]. The primary goal of resource management may differ for customers and service providers. The goal for users is to reduce operating and maintenance costs without owning physical systems, whereas the goal for cloud service

providers is to earn profits through resource allocation and management. To achieve these goals, cloud customers must advise cloud service providers about whether resources will be assigned statically or dynamically.

A. Significance of Cloud Resource Management (CRM)

The motive of cloud resource management (CRM) is to provide applications based services by efficiently managing runtime resources. The traditional cloud would be replaced by hybrid components[12]. There is a need for managing heterogeneity, dynamism, and uncertainty while scheduling cloud resources. Cloud resource scheduling is an NP-hard problem impacts performance. To overcome such a problem, the cloud needs a novel technique that can manage according to its characteristics. This comprehensive survey will help researchers for developing a standard framework to enhance the quality of cloud services, cost-effectiveness and usability.

B. Resource Allocation in Cloud Computing

Allocation of the resources is the process in which the proper resources are allocated to the tasks required by the consumer so that these tasks are finished proficiently. In cloud computing, it implies designating a virtual machine, fulfilling the properties defined by the consumers. Users should submit their task which may have its own time imperatives[13][14]. The viable way in which these workloads can be allotted to the virtual machines and handled is another type of resource allocation possible technique in the cloud. Simply it is all about defining when a computational action should begin or finish dependent upon: resources assigned, time taken, predecessor actions, and predecessor relationships[15]. In addition, resource allocation in cloud computing includes the resource disclosure, choice, provisioning, application planning, and administration of resources.

The strategies of resource allocation can be defined as the mechanism for obtaining the guaranteed VM and/or physical resources allocation to the cloud users with minimal resource struggle, avoiding over, under-provisioning conditions and other parameters as shown in figure 1. This needs the amount and its types of resources required by the applications in order to satisfy the user's tasks, the time of allocations of the resources and its sequels also matters in case of the resource allocation mechanism.




Figure 1: Resource allocation strategies and its avoiding criteria

Let's discuss these criteria of avoidance one by one:

- Resource contention condition ascends when two applications claim to access the same resource at the identical time.
- Shortage of resources arises when there are inadequate resources.

- Resource fragmentation condition arises when the resources are out-of-the-way. [There will be adequate resources but not enough intelligent to allocate to the desired application].
- Over-provisioning of resources happens when the said tasks get spare resources than the actual demand.
- Under-provisioning of resources befalls when the user's tasks are allotted with fewer quantities of resources than the actual demand[16].

SCHEDULING TECHNIQUES IN CLOUD ENVIRONMENTS

The rapid growth of cloud environment applications is executed in parallel, to achieve minimum execution time. Tasks are assigned to machines and execution order of the tasks referred as scheduling. Scheduling is one of the ways to achieve the quality of service in the cloud environment. To improve the quality of service, any scheduling algorithm or scheduling method can be implemented[17]. In cloud environment, many cloud consumers want the different quality of service requirements. The different consumer requirements are efficient scheduling, traffic control, dynamic resource provisioning, admission control, etc. Scheduling allows optimal allocation of resources among given tasks in a finite time to achieve desired quality of service. Formally, scheduling problem involves tasks that must be scheduled on resources subject to some constraints to optimize some objective function.

A. Classification Of Scheduling

Scheduling plays a vital role in cloud computing by ensuring efficient utilization of resources and timely execution of tasks. It involves assigning workloads to available computing resources while meeting specific performance requirements such as cost and execution time. Scheduling methods are broadly classified into three categories: task scheduling, resource scheduling, and workflow scheduling[18]. These techniques cater to both centralized and decentralized systems, accommodating homogeneous and heterogeneous environments. Task scheduling, in particular, is critical as it determines the execution flow of tasks on cloud infrastructure[19]. This section explores various scheduling strategies and highlights their importance in optimizing cloud performance and service delivery.

- Scheduling methods are classified into three main groups: task scheduling, resource scheduling and workflow scheduling. The distribution of virtual resources among Servers (physical machine) is done by Resource Scheduling. To scheduling workflow comprised by an entire job in an efficient order. Task Scheduling is to assigned the task to available resource for its execution[20][21]. Task Scheduling method is for centralized as well as decentralized structure and also for the homogenous and heterogeneous environment.
- Static scheduling allows for pre-fetching required data and pipelining different stages of task execution. Static scheduling imposes less runtime overhead. In case of dynamic scheduling information of the job components/task is not known beforehand[22]. Thus execution time of the task may not be known and the

allocation of tasks is done on fly as the application executes.

B. The QoS-driven scheduler

In this section it is explained how the QoS-driven scheduler operates. The QoS-driven scheduler is a preemptive one. Thus, if the available resources are not enough to accommodate all the instances associated with the admitted requests, then some requests are kept in a pending queue. Instances associated with requests in the pending queue have either been preempted or never executed[23]. These requests remain in the pending queue until the scheduler decides they should run, and allocates the required resources in some host of the infrastructure.

- The scheduler keeps track of the SLIs of each instance in the system (pending or running), as well as the service class to which the requests and their associated instances belong. Availability, resource isolation, and security are examples of metrics that can be used to define SLIs and SLOs[24]. Thus, it's considered that each service class is associated with an SLA that includes a single availability SLO. The availability SLO defined for the class indicates the QoS promised to each request submitted to that class.
- The QoS-driven policy aims at keeping the QoS delivered to all instances at or above their respective SLOs. It also tries to provide fairer treatment for requests of the same class, by allowing these instances to preempt each other. In this regard, it seeks to reduce the variance of the QoS delivered to the instances of the same class that are competing for resources in the system. However, it is inadequate to simply consider the current availability of instances to decide which of them to preempt.
- Whenever the scheduler is executed, it first sorts the pending queue in increasing order of the QoS metric. Then, it processes the pending queue, one request at a time, trying to find out a suitable host to allocate the instance associated with the request it is processing[25]. Like other schedulers proposed in the literature, when the scheduler needs to decide where to allocate an instance j associated with a request in the pending queue, it performs two steps: feasibility checking and ranking.

ENERGY EFFICIENCY IN CLOUD COMPUTING

Energy saving techniques in computing equipment have been classified as static power management (SPM) and Dynamic power management (DPM). SPM and DPM are completely different in categorization, SPM are more energy efficient at single system and supposed to be under the category of hardware level techniques, and since SPM techniques are related to hardware level efficiency, low power consumption circuit designing is an example of this technique[26]. On the other side, DPM are more energy efficient in large systems and supposed to be under the category of level resource management methods[27]. Also, DPM techniques are mostly implemented in software or on network layer, for example protocol design and algorithms. Energy aware scheduling, energy efficient routing, load balancing, virtualization, resource consolidation and migration. Since high availability as well as quality of service and performance guarantee are still ignored which is most required in such distributed

environments as the customers pay for their provisioned resources.

A. Existing Works On Green Computing

In recent times, Green cloud Computing usage has seen a considerable increase. Numerous sorts of exploration have been done to integrate and boost the appropriateness of Green Cloud in a genuine circumstance with the assistance of various boundaries[28] [29]. The utilization of energy is altogether expanding in data server centers. Costs on cloud server farms operation and maintenance are done in the cloud are slowly but surely rising. Here it have been attentive to the workload allocation between the data centers so as the energy used up can be estimated in terms of small packet level. Packet-level correspondence is accomplished from this technique.

The two elements of Green cloud architecture are: server-side and client-side. On the customer-side, the manager and the consumers are available, which manages with the implementation end of the work, and on the worker-side the green cloud middleware, green cloud broker, storage servers, sub servers like handling servers, etc. are present.

B. Real-time Ransomware Detection

Deep learning-based ransomware detection models show promise but are less effective due to insufficient real-world evaluation. Timely detection is crucial to mitigate ransomware attacks. Advanced evasion methods, such as process injection, require real-time detection and secure environmental activation[30]. For example, new ransomware variants can rapidly spread and encrypt files across networks. Although ML-based detection systems exist, they may take minutes or hours to analyze each file, allowing significant data compromise before identifying the ransomware. Future research should focus on developing and evaluating real-time detection techniques to minimize damage. Current solutions are often too costly or inflexible for rapid detection and response, highlighting an under-researched area.

C. Advantages and Disadvantages Of Green Cloud Computing

Scheduling plays a vital role in cloud computing by ensuring efficient utilization of resources and timely execution of tasks. It involves assigning workloads to available computing resources while meeting specific performance requirements such as cost and execution time. Scheduling methods are broadly classified into three categories: task scheduling, resource scheduling, and workflow scheduling[31]. These techniques cater to both centralized and decentralized systems, accommodating homogeneous and heterogeneous environments. Task scheduling, in particular, is critical as it determines the execution flow of tasks on cloud infrastructure. This section explores various scheduling strategies and highlights their importance in optimizing cloud performance and service delivery.

- Among the highest priority objectives at companies are to reduce cost and minimize the size of its data centers without affecting the efficiency of services or the security of data. This can be achieved by using Green Cloud Computing technique which allows the ability to access applications and data without the need to purchase equipment or built data centers[32]. Finally, green cloud computing reduces the environmental impact by storing the information

in digital format on the Cloud which will eliminate the physical counterparts and the storage devices since all the data will be available all the times on the Cloud with data centers using green cloud computing methods.

Green computing faces the same problems and challenges as cloud computing, including:

- Green computing requires awareness among all computing stakeholders, including users, manufacturers, and organizations.
- Each nation's government must adopt a uniform green computing policy[33].
- Due to a lack of user awareness, many eco-friendly or green initiative supporting organizations still do not include green computing in their plans.
- Green computing necessitates the development of skilled labour, which is still an issue in India due to the outdated nature of the majority of computer science programmes offered in Indian universities.
- Funding for resource allocation, cloud architecture, and deployment optimisation remain crucial issues.
- A significant problem today is the design and development of energy-efficient algorithms.
- Various virtualization techniques could occasionally malfunction.
- Indian IT companies are still uninterested in creating user-friendly models.

LITERATURE REVIEW

This section table I represents the literature review on the topic of Resource Management, Scheduling, and Energy Efficiency in Cloud Computing:

Ma *et al.*, (2025) outlines the development trend of AI cloud management services, proposes a cloud-based standard model for large model engineering delivery, which is a modeling method for assessing the full-stack technical service capabilities of model delivery cloud management service providers for large model engineering delivery under large model public cloud hosting, private cloud deployment, and large model hybrid cloud scenarios, and verifies the accuracy of the standard model through multiple enterprise data and universality[34].

Wang *et al.*, (2025) reveal the operational mechanisms and application values of cloud computing throughout the entire life cycle of smart highways. It provides essential scientific references for the important issue of how to build smart highways, and is also expected to shed light on

the relevant practices for the transformation and upgrading of the transportation industry[35].

Ansari *et al.*, (2024) investigates the efficacy and scalability of GA-grounded resource operation strategies in cloud computing systems, with the thing of enhancing performance, resource application, and energy effectiveness. This is fulfilled by conducting a conflation of literature and case studies. One of the ultimate pretensions of this exploration is to donate to the development of resource operation results that are both intelligent and adaptive, and that can meet the ever-changing conditions of cloud computing surroundings[36].

Kai, Peipei and Fan, (2024) simulation results show that the model has significantly improved the resource allocation efficiency compared with traditional methods, which not only greatly improves the resource utilization rate, but also effectively reduces the operating costs of enterprises. The cloud computing resource scheduling algorithm shows higher computing efficiency and economic benefits when dealing with complex resource allocation problems[37].

Arun *et al.*, (2024) implementation utilizes Ethereum's blockchain and evaluate real-world cloud environments' efficiency for resource utilization, transaction throughput, cost and robustness. This paper examines how blockchain has the propensity to redesign the means through which cloud computing resource management while improving its security, efficiency, and scalability[38].

Luan and Damian, (2023) simulation results show that the maximum completion time of the research method is lower than that of GWO algorithm and RW algorithm. During the task completion process, the RWGWO algorithm has the lowest execution cost and the highest virtual machine resource utilization efficiency. When the number of virtual machines is 4, RWGWO has an average improvement of 12.33% and 5.12% compared to RW algorithm and GWO algorithm, respectively. The research method not only reduces the maximum completion time, but also reduces costs, which can effectively save cloud resources[39].

Nayak and Shetty, (2023) proposes a smart system that enables machine-learning algorithms in predicting and managing resources such as CPU, memory, and cost. The system, after analyzing past data files and understanding user needs, predicts workloads with an approach to resources adapted automatically. Doing so does allow resources to be managed more efficiently, thereby saving both costs and time. The system was put to test on real data files and showed clearer performance with less waiting time and cost-saving efforts while keeping the users satisfied[40].

Table 1: Summary on Resource Management, Scheduling, and Energy Efficiency in Cloud Computing

Author(s)	Study On	Approach	Key Findings	Challenges	Future Direction
Ma et al., (2025)	AI Cloud Management Services for Large Model Engineering Delivery	Proposed a standard model to assess cloud service providers' capabilities in public, private, and hybrid clouds	Verified accuracy and universality of the model using enterprise data	Evaluating full-stack services across diverse cloud deployment models	Generalization and industrial adoption of the standard model
Wang et al., (2025)	Lifecycle Application of Cloud Computing in Smart Highways	Analyzed cloud computing mechanisms across the full lifecycle of smart highway systems	Demonstrated value in planning, building, and transforming smart highway infrastructure	Lack of proven cloud implementation strategies in transport sector	Applying findings to guide smart transportation upgrades
Ansari et al., (2024)	GA-based Resource Operation in Cloud Computing Systems	Literature review and case studies on Genetic Algorithm-based resource management strategies	Improved scalability, performance, and energy efficiency	Real-time adaptation and complexity in large-scale systems	Development of adaptive, intelligent GA-based cloud resource frameworks

Kai, Peipei & Fan (2024)	Cloud Resource and Scheduling Allocation	Simulation comparing the proposed scheduling model with traditional resource allocation methods	Increased efficiency, higher utilization, and reduced operational costs	Complexity in handling dynamic workloads	Extending model to heterogeneous, large-scale systems
Arun et al., (2024)	Blockchain-based Cloud Resource Management	Utilized Ethereum blockchain to improve efficiency, security, and scalability of cloud systems	Improved resource utilization, transaction throughput, and system robustness	Blockchain integration overhead; ensuring cost-effectiveness	Exploring decentralized cloud systems with enhanced trust and resilience
Luan & Damian (2023)	Cloud Scheduling using RWGWO Algorithm	Compared RWGWO with GWO and RW algorithms via simulations	Lower completion time, reduced costs, and improved VM resource utilization	Algorithm performance consistency across variable workloads	Optimization and testing of RWGWO in real-time, large-scale environments
Nayak & Shetty (2023)	ML-based Smart Resource Management System	Developed ML-driven system to predict and allocate CPU, memory, and cost resources based on user data	Reduced waiting time and operational costs; better workload prediction	Maintaining ML prediction accuracy in fluctuating environments	Advancing adaptive ML models for real-time cloud resource management

CONCLUSION AND FUTURE WORK

Cloud computing has emerged as a foundational pillar of the contemporary digital infrastructure, the resource management, smart scheduling, and energy-conscious operations of such a system are essential in fulfilling the ever-increasing demand of scalable and trustworthy services. This paper offered a critical review of cloud resource management strategies and pointed out the major challenges confronting cloud resource management which included resource contention, dynamic provisioning, complexity of scheduling and energy consumption in data centers of large scale. The scheduling techniques, especially QoS-based scheduling, were discussed as the means of satisfying the requirements of the Service Level Agreement (SLA) and the profitability of the provider at the same time. Also, green cloud computing methods were demonstrated as necessary to minimize the cost of operation and environmental impact due to using energy-efficient resource utilization, virtualization, and consolidation methods. The fact that security features are present, in particular, real-time ransomware detection, makes it clear that cloud systems should not only be efficient and sustainable but also be safe and resilient to the ever-changing cyber threats.

Future scope should be to create intelligent resource management and scheduling systems that are based on AI and can adjust to very dynamic and heterogeneous cloud environments. The combination of machine learning and deep learning methods in predictive resource distribution, energy optimization and anomaly detection can be used to boost cloud performance and security substantially. Also, more attention should be paid to real-time and cost-effective ransomware detection systems that can perform effectively on a large scale. Green cloud policies that are standardized, enhanced awareness, and creation of energy efficient algorithms and tools will also play roles in developing sustainable, secure and user centric cloud computing extended systems.

REFERENCES

- [1] F. Fang, "Study on Resource Management Based on Cloud Computing," *MATEC Web Conf.*, vol. 63, p. 5009, 2016, doi: 10.1051/mateconf/20166305009.
- [2] P. Chandrashekar and M. Kari, "Design Machine Learning-Based Zero-Trust Intrusion Identification Models for Securing Cloud Computing System," *Int. J. Res. Anal. Rev.*, vol. 11, no. 4, pp. 901–907, 2024.
- [3] S. Narang and V. G. Kolla, "Next-Generation Cloud Security : A Review of the Constraints and Strategies in Serverless Computing," *Int. J. Res. Anal. Rev.*, vol. 12, no. 3, 2025.
- [4] B. Uzoma and B. Okhuoya, "A RESEARCH ON CLOUD COMPUTING." 2022.
- [5] V. Shah, "Managing Security and Privacy in Cloud Frameworks : A Risk with Compliance Perspective for Enterprises," *Int. J. Curr. Eng. Technol.*, vol. 12, no. 6, pp. 606–618, 2022.
- [6] Anirudh Parupalli and Honie Kali, "An In-Depth Review of Cost Optimization Tactics in Multi-Cloud Frameworks," *Int. J. Adv. Res. Sci. Commun. Technol.*, pp. 1043–1052, 2023, doi: 10.48175/ijarsct-11937q.
- [7] D. Ding, X. Fan, Y. Zhao, K. Kang, Q. Yin, and J. Zeng, "Q-learning based dynamic task scheduling for energy-efficient cloud computing," *Futur. Gener. Comput. Syst.*, 2020, doi: 10.1016/j.future.2020.02.018.
- [8] G. Maddali, "An Efficient Bio-Inspired Optimization Framework for Scalable Task Scheduling in Cloud Computing Environments," *Int. J. Curr. Eng. Technol.*, vol. 15, no. 03, pp. 229–238, 2025, doi: 10.14741/ijcet/v.15.3.4.
- [9] V. Varma, "Secure Cloud Computing with Machine Learning and Data Analytics for Business Optimization," *J. Eng. Technol. Adv.*, vol. 4, no. 3, pp. 181–188, 2024, doi: 10.56472/25832646/JETA-V4I3P119.
- [10] V. S. Kapil Tarey, "A Survey on Resource Management Techniques in Cloud Computing".
- [11] R. Patel, "Advancements in Renewable Energy Utilization for Sustainable Cloud Data Centers: A Survey of Emerging Approaches," *Int. J. Curr. Eng. Technol.*, vol. 13, no. 05, pp. 447–454, 2023, doi: 10.14741/ijcet/v.13.5.7.
- [12] S. Amrale, "Proactive Resource Utilization Prediction for Scalable Cloud Systems with Machine Learning," *Int. J. Res. Anal. Rev. (IJRAR)*, vol. 10, no. 4, pp. 758–764, 2023.
- [13] M. F. Manzoor, A. Abid, M. S. Farooq, N. A. Nawaz, and U. Farooq, "Resource allocation techniques in cloud computing: A review and future directions," *Elektronika ir Elektrotechnika*. 2020. doi: 10.5755/j01.eie.26.6.25865.
- [14] V. Rajavel and R. Gahlot, "Advanced Fault Diagnosis of CMOS Circuit Design by Leakage Measurement in Nanometer Technology," in *2025 IEEE 5th International Conference on VLSI Systems, Architecture, Technology and Applications (VLSI SATA)*,

- IEEE, May 2025, pp. 1–6. doi: 10.1109/VLSISATA65374.2025.11070065.
- [15] S. Thangavel, K. C. Sunkara, and S. Srinivasan, “Software-Defined Networking (SDN) in Cloud Data Centers: Optimizing Traffic Management for Hyper-Scale Infrastructure,” *Int. J. Emerg. Trends Comput. Sci. Inf. Technol.*, vol. 3, no. 1, pp. 29–42, 2022, doi: 10.63282/3050-9246.ijetscit-v3i3p104.
- [16] V. Prasad, A. Nair, and S. Tanwar, “Resource Allocation in Cloud Computing,” 2019, pp. 343–376.
- [17] P. Akilandeswari and H. Srimathi, “Survey and analysis on task scheduling in cloud environment,” *Indian J. Sci. Technol.*, 2016, doi: 10.17485/ijst/2016/v9i37/102058.
- [18] M. Kalra and S. Singh, “A review of metaheuristic scheduling techniques in cloud computing,” *Egyptian Informatics Journal*. 2015. doi: 10.1016/j.eij.2015.07.001.
- [19] S. Chatterjee, “A data governance framework for Big Data Pipelines: Integrating Privacy, security, and quality in Multitenant Cloud Environments,” *TIJER*, vol. 10, no. 5, 2023.
- [20] B. H. Malik, M. Amir, B. Mazhar, S. Ali, R. Jalil, and J. Khalid, “Comparison of task scheduling algorithms in cloud environment,” *Int. J. Adv. Comput. Sci. Appl.*, 2018, doi: 10.14569/IJACSA.2018.090550.
- [21] Nirav Kumar Prajapati, “Cloud-based serverless architectures: Trends, challenges and opportunities for modern applications,” *World J. Adv. Eng. Technol. Sci.*, vol. 16, no. 1, pp. 427–435, Jul. 2025, doi: 10.30574/wjaets.2025.16.1.1225.
- [22] Y. Chawla and M. Bhonsle, “A Study on Scheduling Methods in Cloud Computing,” *Int. J. Emerg. Trends Technol. Comput. Sci.*, 2012.
- [23] G. Sarraf and V. Pal, “Adaptive Deep Learning for Identification of Real-Time Anomaly in Zero-Trust Cloud Networks,” *ESP J. Eng. Technol. Adv.*, vol. 4, no. 3, pp. 209–218, 2024, doi: 10.56472/25832646/JETA-V4I3P122.
- [24] D. Patel, “The Role of Amazon Web Services in Modern Cloud Architecture: Key Strategies for Scalable Deployment and Integration,” *Asian J. Comput. Sci. Eng.*, vol. 9, no. 4, pp. 1–9, 2024.
- [25] G. F. da Silva, F. Brasileiro, R. Lopes, F. Morais, M. Carvalho, and D. Turull, “QoS-driven scheduling in the cloud,” *J. Internet Serv. Appl.*, 2020, doi: 10.1186/s13174-020-00129-0.
- [26] M. Deiab, D. El-Menshawy, S. El-Abd, A. Mostafa, and M. S. A. El-Seoud, “Energy efficiency in cloud computing,” *Int. J. Mach. Learn. Comput.*, 2019, doi: 10.18178/ijmlc.2019.9.1.771.
- [27] V. Saxena, A. Kumar, and V. Danwa, “A Review of Cloud Computing CPU Resource Optimization: Methods, Difficulties, and Prospects,” in *Proceedings of the 6th International Conference on Information Management & Machine Intelligence*, New York, NY, USA: ACM, Dec. 2024, pp. 1–5. doi: 10.1145/3745812.3745839.
- [28] S. S. G. P. N. Shanthi, “Review on Green Cloud Computing,” *Int. Res. J. Mod. Eng. Technol. Sci.* www.irjmets.com @International Res. J. Mod. Eng., no. 07, pp. 2582–5208, 2021.
- [29] B. R. Ande, “Enhancing Cloud-Native AEM Deployments Using Kubernetes and Azure DevOps,” *Int. J. Commun. Networks Inf. Secur.*, vol. 15, no. 8, pp. 33–41, 2023.
- [30] S. BuchiReddy Karri, C. M. Penugonda, S. Karanam, M. Tajammul, S. Rayankula, and P. Vankadara, “Enhancing Cloud-Native Applications: A Comparative Study of Java-To-Go Micro Services Migration,” *Int. Trans. Electr. Eng. Comput. Sci.*, vol. 4, no. 1, pp. 1–12, Apr. 2025, doi: 10.62760/iteecs.4.1.2025.127.
- [31] Veeravenkata Maruthi Lakshmi Ganesh Nerella, “Automated Compliance Enforcement in Multi-Cloud Database Environments: A Comparative Study of Azure Purview, AWS Macie, and GCP DLP,” *Int. J. Sci. Res. Comput. Sci. Eng. Inf. Technol.*, vol. 11, no. 4, pp. 270–283, Jul. 2025, doi: 10.32628/CSEIT25111668.
- [32] R. I., R. S., F. S., S. A., and H. M., “Green Cloud Computing: A Review,” *Int. J. Comput. Appl.*, vol. 167, no. 9, pp. 5–7, 2017, doi: 10.5120/ijca2017914323.
- [33] R. Sharma, S. Nikam, and A. Manjrekar, “Green Cloud Computing: Challenges And Solutions,” *Eur. Chem. Bull.*, vol. 12, pp. 6828–6831, 2023, doi: 10.48047/ecb/2023.12.si5a.0616.
- [34] F. Ma, X. Dong, Z. Li, J. Dai, and C. Cai, “A Standard Model for Engineering Delivery of Large Models Based on Cloud Computing,” in *2025 10th International Conference on Cloud Computing and Big Data Analytics (ICCCBDA)*, Apr. 2025, pp. 293–297. doi: 10.1109/ICCCBDA64898.2025.11030535.
- [35] R. Wang, Z. Li, F. Ma, C. Cai, and Z. Li, “How to Build Smarter Highway: An Analysis of Application Scenarios Based on Cloud Computing,” in *2025 10th International Conference on Cloud Computing and Big Data Analytics (ICCCBDA)*, Apr. 2025, pp. 283–287. doi: 10.1109/ICCCBDA64898.2025.11030524.
- [36] M. H. Ansari, B. Nachiappan, S. K. S., A. M. Reena B, S. Nagarajan, and J. Narasimharao, “Intelligent Resource Management in Computing using Genetic Algorithms,” in *2024 International Conference on Science Technology Engineering and Management (ICSTEM)*, Apr. 2024, pp. 1–5. doi: 10.1109/ICSTEM61137.2024.10560793.
- [37] K. Kai, Z. Peipei, and Z. Fan, “Research on the Resource Allocation Optimization Model of Automobile Based on Cloud Computing Resource Scheduling Algorithm,” in *2024 4th International Signal Processing, Communications and Engineering Management Conference (ISPCEM)*, Nov. 2024, pp. 965–969. doi: 10.1109/ISPCEM64498.2024.00171.
- [38] M. Arun, P. G. Senthilvel, A. Muthukrishnan, N. Poongavanam, and S. Pushparani, “Blockchain-Powered Decentralized Resource Allocation and Management for Cloud Computing,” in *2024 International Conference on Recent Advances in Science and Engineering Technology (ICRASET)*, Nov. 2024, pp. 1–5. doi: 10.1109/ICRASET63057.2024.10895456.
- [39] T. Luan and M. A. E. Damian, “Research on Improved Grey Wolf Optimization Algorithm Based on Random Walk in Task Scheduling of Cloud Computing Platform,” in *Proceedings - 2023 7th International Symposium on Computer Science and Intelligent Control, ISCSIC 2023*, 2023. doi: 10.1109/ISCSIC60498.2023.00059.
- [40] A. A. Nayak and S. Shetty, “A Systematic Analysis on Task Scheduling Algorithms for Resource Allocation of Virtual Machines on Cloud Computing Environments,” in *2023 International Conference on Recent Trends in Electronics and Communication (ICRTEC)*, Feb. 2023, pp. 1–6. doi: 10.1109/ICRTEC56977.2023.10111894.